Materials Method N.Y. 18.1 April, 1968

NEW YORK STATE DEPARTMENT OF TRANSPORTATION MATERIALS BUREAU

FORMS INSTRUCTION
SAMPLE AND ACCEPTANCE TRANSMITTAL
FORM BR 240

SCOPE

Form BR 240, entitled "Sample and Acceptance Transmittal", accompanies all submissions of samples of materials secured by the Department or its designated representatives to the Materials Bureau except for the following items:

Fine and Coarse Aggregates (BR 3)

Bituminous Materials (BR 170)

Bituminous Plant-Mix Materials (BR 170)

Bituminous Cores (BR 166) -

Concrete Cores (BR 166)

Concrete Cylinders (BR 41)

Samples of the materials listed above are accompanied by the form indicated in parenthesis.

Form BR 240 is a five-part color coded snap-out form containing provisions for both identification by the Inspector of the material sampled and eventual entry of acceptance or rejection action by the Materials Bureau.

Upon completion of tests the Materials Bureau will enter on BR 240 the action accorded the material sampled. Specific copies of the form are then returned to the office of the originating Inspector.

EXECUTION AND TRANSMITTAL

- 1. All entries printed by ball point pen or typewriter.
- 2. Use sufficient pressure to assure legibility of all copies.
- 3. Rubber-stamp entries not to be used.
- 4. All entries to be in accordance with instructions.
- 5. Following completion remove pink copy by carefully detaching it from the left hand stub of the form without disrupting the assembled set. Retain this copy.
- 6. Insert completed form in the "Sample Transmittal Envelope", Form BR 241. Do not fold.
- 7. Place envelope inside sample package for transmission to Materials Bureau.
- 8. The Department's pre-addressed shipping tag, Form BR 108, should be used to direct the package to its proper destination. When this tag is not used the correct address is as follows:
 - TO: Materials Bureau
 N.Y.S. Department of Transportation
 State Campus Building # 7
 1220 Washington Avenue
 Albany, New York 12226
- 9. Upon completion of tests the Materials Bureau will complete the "action" portion of the form and affix a validation signature in the box on the lower right.
- 10. The yellow and green copies of the form with the final action and validation affixed will be returned to the Department or Inspection Agency office having supervision over the Inspector who submitted the sample.
 - 11. That office will forward the green copy to the Inspector while retaining the yellow copy on file.

Materials Method N.Y. 18.1 April, 1968

ENTRY INSTRUCTIONS

The upper portion of Form BR 240 and the lower right hand box entitled "Materials Bureau Validation" are for use only by Materials Bureau personnel in Albany and no entries are to be made by the Inspector in those portions of the form.

Like . V. H bodsalt stat

Inspectors entries are to be made only in the numbered boxes. Not all boxes are applicable to each material or product sampled.

SAMPLE AND ACCEPTANT NYSDOT MATERIALS		NO. DATE R	ECO. TEST NO	
TO:	rial Represented by the Sample Described Belo	ow Was	108/865=1	
ONFor		1486a 98669	9 TRUSME 1	
(Action	Official Only When Validated Below By The N	Naterials Bureau)		
. UPPER PORTION FOR MATERIAL	S BUREAU ONLY - INSPECTOR TO COMPL	ETE ALL APPLICAT	BLE BOXES BELOW	
16. ADDITIONAL INFO. (SEE INSTRUCTIONS ON REAR)	1. MATERIAL	2. ITEM NO. 3. DATE	SAMPLED 4. CONTR	ACT NO.
	6. SUPPLIER AND LOCATION		6, QUANTITY IN LOT	7. LOT NO.
	8. MANUFACTURER AND LOCATION (IF DIFFERENT	THAN ABOVE)	9. BATCH NO.	10. DATE OF TOTAL
1963 (196	11. SAMPLED AT 12. TYPE	BPR SAMPLE	13. SAMPLED FROM	
		PPROVED LIST MAT.	14. SAMPLED BY (INCL. C	DIST. NO. OR A
Ta Propaga Time Stable	25. CONTRACTOR AND PROJECT LOCATION	MATERI	ALS BUREAU VALIDATION	V
RETAIN PINK COPY FOR YOUR RECORDS FORWARD ALL OTHERS TO MATERIALS BUREAU	ARTHUR SELECTION OF THE		25	

The following information applies to those boxes which may not necessarily be self-explanatory for all products.

Box 4, Contract No. Enter Department project identification number for all samples taken at the job site or for samples taken at an off-project supply location representing a specific lot of material which, by Department instructions, is to be eventually shipped to a single specific project site.

NYSDOT Library 50 Wolf Road, POD 34 Albany, New York 12232

- Box 5. Supplier and Location For the purpose of this form "supplier" is defined as the Company actually making the shipment direct to the project site. For "location" the city and state is sufficient. (Note when sampling paint at a fabricating shop where the paint is to be applied to structural members prior to shipment of the members to the project site, the fabricating shop is to be considered as the "supplier).
- Box 6, Quantity in the Lot Always enter the unit of measure (i.e. feet, pounds, pieces, etc.).
- Box 8, Manufacturer and Location For identification of the actual manufacturer or producer and/or production location when either or both are different than the supplier and supply location entered in Box 5.
- Box 9, Batch No. Enter only when applicable to the material or product (i.e. paint, epoxy, etc.).
- Box 10, Date of Manufacture Same as above.
- Box 12, Type Check appropriate box in accordance with the following definitions.
 - Control Sample A sample required by Department instructions to secure evidence of acceptability.
 - Info. Sample A sample secured representing material already possessing the stipulated evidence of acceptability but for which further information is desired relative to its conformance with specifications or its application or use characteristics. When submitting this type of sample always explain the reason for its submission in Box 16.
 - BPR Sample A sample secured by the Engineer at the specific request of a representative of the Bureau of Public Roads.

Approved List Mat. - A sample secured at the project site of material for which the required evidence of acceptability is the presense of the brand name of the product on a list of approved materials issued by the Materials Bureau but which, in the opinion of the Engineer, has proven unsatisfactory in use. Explain the reason for submission in Box 16.

Certified Mat. - Same as above except that the required evidence of acceptability consists of the filing of a "certification of compliance" or "certified test results" with the Engineer by the supplier.

Box 13, Sampled From - Describe concisely the physical facility from which the sample was obtained (i.e. - 55-gal. drum, Silo #XX, Tank #XX, mill banded bundle, Warehouse rolls, etc.).

Box 14, Sampled By - Print name of person securing sample together with his affiliation (NYSDOT District number or Inspection Agency name).

NOTE - Inspection Agency personnel must also list the location of their company's office which administers the particular inspection assignment under which the sample was secured. This location shall be noted by abbreviating the name of the city and such information may, if necessary, be inserted in the lower right hand box <u>immediately</u> under the bold ruled line and directly opposite the printed legend 'Materials Bureau Validation'.

Box 25, Contractor and Project Location - Enter only when Box #4 "Contract No." requires an entry.

Box 16, Additional Info. - Typical required uses: Reinforcing bars - Tabulation of bar size, heat number, manufacturer and quantity.

Concrete Pipe - Enter Working Drawing Number, Results of 3-edge bearing strength test in pounds per linear foot. Cement - List can numbers (Example: cans 1 to 27)

Materials Method N.Y. 18.1 April, 1968

Epoxy Products - May be used to facilitate entry of gallonage breakdown between Parts A & B (when so used, enter reference to this box in Box No. 6). Enter sample table used.

Welded Wire Fabric - Enter gage and spacing of mesh as declared by the supplier. When sampling fabric for use in the manufacture of concrete pipe, enter the name and location of the pipe plant to which the fabric will be shipped.

EXAMPLES

SAMPLE AND ACCEPTA NYSDOT MATERIAL		
ТО:		
Ma	torial Represented by the Sample Described Bolow Was	-
ONFor		
(#25mlpd) (1500)		
(Actio	on Official Only When Validated Below By The Materials Bureau)	
UPPER PORTION FOR MATERIA	ALS BUREAU ONLY - INSPECTOR TO COMPLETE ALL APPLICABLE BOXES BELOW	
16. ADDITIONAL INFO. (SEE INSTRUCTIONS ON REAR)	1. MATERIAL CLASS II 2. ITEM HO. 3. DATE SAMPLED 4. CONTRACT NO.	
WORKING DWG - NY 18	42" REINE CONC. PIPE 14 4/5/68 -	
NORKING DIE - NI/ 10	5. SUPPLIER AND LOCATION 7. LOT 7. LOT	NO.
	SMOOTH PINECO - MILLTOWN N.Y. 400 FT 2	3
500 PCS - 8 LHYING LENGTH	8. MANUPACTURER AND LOCATION (IF DIFFERENT THAN ABOVE) 9. SATCH NO. 10. DATE OF M	
	3/1-1	15
TEST RESULTS!	11. SAMPLED AT 12. TYPE 13. SAMPLED FROM 6	
1 AT CRHCK - 9,650 LUS/LW.FT	DOPROBAMPLE SECREGATED STOCKE	PILE
		AGENCY)
VIJIMATE - 12,650-LUS/LW FT	DIOS DINFO. SAMPLE DESTIFIED MAT. JOHN DOE - DIST	r 1
	28. CONTRACTOR AND PROJECT LOCATION MATERIALS BUREAU VALIDATION	
shall be noted	the sample was necited. This location	
RETAIN PINK COPY FOR YOUR RECORDS FORWARD ALL OTHERS TO MATERIALS SUREAU	A description of the second se	

(Reduced)

CONCRETE PIPE SAMPLED AT PIPE PLANT

SAMPLE AND ACCEPTAN NYSDOT MATERIALS		SERIAL NO.	DAYE REC'S.	TEST NO.
TO:	erial Represented by the Sample	e Described Below Was	aren garre	
ONFor				
(Action	Official Only When Validated	Below By The Materials Bu	reau) .	
UPPER PORTION FOR MATERIAL	S BUREAU ONLY - INSPECT	TOR TO COMPLETE ALL	APPLICABLE BOXE	S BELOW
18. ADDITIONAL INFO, 1SEE INSTRUCTIONS ON REAR! . 240 ¥ 6 − 3"×6"	1. MATERIAL WELDED WIR 6. SUPPLIER AND LOCATION ABC STEEL CO	E FABRIC PIPE	3. DATE SAMPLED 4/5/68 6. QUANTI	14. CONTRACT NO. TY IN LOT 7. LOT NO. SHEETS 23
FOR SHIPMENT TO! ACE CONCRETE PINE CO.	11, SAMPLED AT 12, TYPE	BPR SAMPLE	ST MAT. 14. SAMPLE	LEUSE LIFTS D BY (INCL. DIST. NO. OR AGENCY)
HIGHTON, N.Y.	28. CONTRACTOR AND PROJECT I	AMPLE CERTIFIED M	MATERIALS BUREAU	VALIDATION PIBUREIT

(Reduced)
CONCRETE PIPE FABRIC SAMPLED AT STEEL FABRICATING SHOP

AR-240 (1/00) SAMPLE AND ACCEPTANCE TRANSMITTAL NYSDOT MATERIALS BUREAU				L	, SERIAL NO.	DATE REC'	o. TES	No.
TO:		Mater	ial Represented	by the Sample Desc	ribed Below Was_	Linearing to the		
ON	For	. ,	•		•		•	
				en Validated Belov				
UPF	ER PORTION FO	RMATERIAL	S BUREAU ONLY	Y - INSPECTOR T	O COMPLETE AL	L APPLICABLE	BOXES BELO	W .
I.A. ADDITIONAL INF	O. ISEE INSTRUCTIO	IRABA NO EN	1. MATERIAL		2, ITEM	NO. 3. DATE SA	MPLED 4. CO	INTRACT NO.
SIZE HEHT	NO. MECK.	WEIGHT	REINFO	PRING B	ars 28	4/5/	GUANTITY IN LO	7. LOT NO.
				EEL CO-ST		N.Y. 1	30,000	Las 23
6 OGAT	-931 ABC	10,000	ABC ST	EEL CO - F	IRNACEVILLE	PA 0.	BATCH NO.	10. DATE OF MFGR.
	491 AH				BPR SAME	LE	MILL REL	NDED BLINDLES
9 281 W.	289 ABC					LIST MAT. 14	SAMPLED BY LINE	CL. DIST. NO. OR AGENCY)
1	13	30,000#	28. CONTRACTOR	AND PROJECT LOCATE	CENTIFIED			OF GTL
	FOR YOUR RECORDS	UMEAU						

REINFORCING BARS SAMPLED UNDER MATERIALS METHOD N.Y. 2

SAMPLE AND ACCEPTAN NYSDOT MATERIALS	SERIAL NO.	GATE HEC'D.	TEST NO.	
TO:	erial Represented by the Sample (Described Below Wos		
ONFor	Managed Lor		NAME OF THE PARTY	BARRE BARRET
(Action	Official Only When Validated B	elow By The Materials B	ureau)	
Part A 550 Gal. Part B 1100 Gal.	S BUREAU ONLY - INSPECTO 1. MATERIAL EPOKY POLYSUIFICE A 5. SUPPLIER AND LOCATION ABC Materials Co	Binder Mag B	5-2-68 6. QUANT	
TOTAL 1650 Gol.		LE CIPPERENT THAN ABOV	9. BATCH 68-/- 13. SAMPL	NO. 10. DATE OF MFGR. A + B 5-1-68 ED FROM
Sample table Used	PLANT FONTROL	IPLE CERTIFIED N	IST MAT, 14. SAMPLE	RUMS (55 gal.) ED BY LINCL. DIST. NO. OR ASENCY DOC. GTL. N.Y.C. U VALIDATION
RETAIN PINK COPY FOR YOUR RECORDS				manifesta market
1				(Reduced)

EPOXY SAMPLED AT MANUFACTURER'S LOCATION

(Reduced)

SHOP COAT PAINT SAMPLED AT STEEL FABRICATING SHOP

SAMPLE AND ACCEPTANT NYSDOT MATERIALS		SERIAL NO.	DATE REC'D.	TEST NO.
TO:				
Mate	rial Represented by the Sample Describ	ood Bolow Was		
ONFor				
	0/1: 101 10 101 101 101	71 14 - 1 1 2		
	Official Only When Validated Bolow B			DEL OW
UPPER PORTION FOR MATERIAL	S BUREAU ONLY - INSPECTOR TO	LA ITEM NO.	B. DATE SAMPLED	A. CONTRACT NO.
PLANT CURRENTLY SUPPRIME	AIR ENTRHIAING AGE.			
ITEM 18 CONCRETE TO	B. SUPPLIER AND LOCATION ABC. CONCRETECO - S		6. QUANTIT	
FARC 68-00 AND RC 68-01.	AIR CHEM CO - 5		10 970	
FIRST SOB READERS.	11. SAMPLED AT 12, TYPE		13. BAMPLE	O FROM
CONTINUED RUN OF LOW	PLANT CONTROL SAMPLE	D SOR BAMPLE		CAHON DRUM
AIR CONTENTS . NO	D PLANT CONTROL SAMPLE	CENTIFIED MA	T. JOHA	I DOE DIST 1
REPORT FROM SECOND JOB.	25. CONTRACTOR AND PROJECT LOCATION		MATERIALS SUREAU	VALIDATION
RETAIN PINK EGPY FOR YOUR RECORDS FORWARD <u>all</u> others to materials dureau				

(Reduced)

CONCRETE ADMIXTURE SAMPLED AT BATCH PLANT DUE TO POOR PERFORMANCE REPORT FROM JOB SITE.

BR-240 11/601 SAMPLE AND ACCEPTANCE TRANSMITTAL NYSDOT MATERIALS DUREAU			SERIAL NO.	DATE REC'D.	TEST NO.
то:					
Mate	rial Represented	by the Sample Describe	ed Bolow Was		
ONFor					
(Action	Official Only Wh	en Validated Below By	The Motorials B	ureau)	1
UPPER PORTION FOR MATERIAL	S BUREAU ONLY	Y - INSPECTOR TO	CMPLETE ALL	APPLICABLE BOXE	S BELOW
16. ADDITIONAL INFO. (SEE INSTRUCTIONS ON REAR)	PERTLA	IND CEMEN	7 15-12	4/5/65	4. CONTRACT NO.
Camai	B. SUPPLIER AND	IN ENT CES -	KILABILLE		17 IN LOT NO.
Cans #1-27	6. MANUFACTURE	IR AND LOCATION HE DIF	FERENT THAN ABOV	P. BATCH	10. DATE OF MEGA, 4/3-5
1-21	11. SAMPLED AT		DPR SAMPLE	13. SAMPL	L-141
	D JOO	CONTHOL BAMPLE	CERTIFICO N	- /	I RIE - GIL
	25. CONTRACTOR	AND PROJECT LOCATION		MATERIALS BUREAU	VALIDATION N. Y. C.
PETALM PINE COPY FOR YOUR RECORDS FORWARD ALL OTHERS TO MATERIALS SUREAU					

(Reduced)

CEMENT SAMPLED AT MILL LOCATION

TARREST TO SERVICE STATE OF THE PROPERTY OF TH

0-1-34